AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A mast lift <u>for personnel comprising</u>:

a mast:

a personnel work platform movably secured to the mast; and

a lift system coupled between the work platform and the mast, the lift system effecting raising and lowering of the work platform on the mast,

wherein the mast lift is a portable stand-alone unit, either free-standing or supportable against a support surface, and wherein a machine weight of the mast lift is less than 200 pounds.

- 2. (Original) A mast lift according to claim 1, wherein the work platform comprises a safety rail at least partially about its perimeter.
- 3. (Original) A mast lift according to claim 2, wherein the safety rail is foldable into a transport position.
- 4. (Original) A mast lift according to claim 1, wherein the lift system is coupleable with a power source.
- 5. (Original) A mast lift according to claim 4, wherein the power source comprises a battery pack.
- 6. (Original) A mast lift according to claim 4, wherein the power source comprises a hand-held drill.
- 7. (Original) A mast lift according to claim 1, further comprising a stand supporting the mast, wherein the mast lift requires two support points, and wherein the stand defines one of the two support points.

. CAMPBELL et al. Appl. No. To Be Assigned September 28, 2006

- 8. (Original) A mast lift according to claim 7, wherein the stand comprises extendible and retractable legs each having a dual lock mechanism that locks the legs in an engaged position.
- 9. (Original) A mast lift according to claim 8, wherein the dual lock mechanism is engaged based on (1) a position of the legs and (2) a load on the legs.
- 10. (Original) A mast lift according to claim 9, wherein the dual lock mechanism is configured to prevent raising of the work platform on the mast unless the dual lock mechanism is engaged.
- 11. (Original) A mast lift according to claim 7, further comprising a mast arm coupled with the mast, wherein the mast arm defines the other of the two support points.
- 12. (Original) A mast lift according to claim 11, wherein the mast arm is pivotable between a transport position and a use position.
- 13. (Original) A mast lift according to claim 1, wherein the mast comprises telescoping sections positionable between a stowed position and an extended position.
- 14. (Original) A mast lift according to claim 13, further comprising a mast arm coupled with the mast, the mast arm being pivotable between a transport position when the telescoping sections are in the stowed position and a use position when the telescoping sections are in the extended position.
- 15. (Original) A mast lift according to claim 14, wherein the mast arm is biased toward the use position, and wherein a pivot bracket engages the mast arm when the telescoping sections are in the stowed position.
- 16. (Original) A mast lift according to claim 15, wherein the mast arm is locked in the use position via an over-center arrangement.

a mast;

- 17. (Original) A mast lift according to claim 1, wherein a machine weight of the mast lift is less than 150 pounds.
- 18. (Original) A mast lift according to claim 1, wherein a machine weight of the mast lift is less than 120 pounds.
- 19. (Original) A mast lift according to claim 1, wherein mast comprises at least one telescoping section, and wherein the lift system effects raising and lowering of the telescoping section.
- 20. (Currently Amended) A mast lift <u>for personnel</u> configurable with a plurality of independent components, the independent components comprising:
 - a base unit including a mast, a stand and a platform lifting system;
 - a personnel work platform attachable to the base unit; and
 - an optional power pack engageable with the platform lifting system,

wherein the mast lift is a portable stand-alone unit, either free-standing or supportable against a support surface, and wherein the independent components are interchangeable with like components such that the mast lift comprises a modular construction.

- 21. (Original) A mast lift according to claim 20, wherein a machine weight of the assembled mast lift is less than 200 pounds.
 - 22. (Currently Amended) A mast lift <u>for personnel comprising</u>:
- a <u>personnel</u> work platform movably secured to the mast, wherein the work platform comprises a safety rail at least partially about its perimeter;
- a lift system coupled between the work platform and the mast, the lift system effecting raising and lowering of the work platform on the mast; and

. CAMPBELL et al. Appl. No. To Be Assigned September 28, 2006

a stand supporting the mast, wherein the mast lift requires two support points, and wherein the stand defines only one of the two support points,

wherein the mast lift is a portable stand-alone unit.

- 23. (Original) A mast lift according to claim 22, wherein a machine weight of the mast lift is less than 200 pounds.
- 24. (Currently Amended) A portable platform lifting machine comprising a base unit having a mast and a platform lifting system, and a <u>personnel</u> work platform that is raised and lowered on the mast by the lifting system, wherein the lifting machine is transportable and operable by a single user <u>as a stand-alone unit</u>, and wherein the lifting machine is supported in use at two support points.